

Sunsea Small Cell Cases

Application scenario


Small indoor scenarios such as homes, offices, hotels, conference rooms.

Application features




The deployment of integrated small cell can make full use of existing broadband resources for flexible access with its own capacity. It can effectively meet requirements of indoor data, voice complaints and indoor accurate blindness coverage.

Application products

Sunlight 1000, Sunlight 2000



Background



Background


The elevator signal of the building has always been the most obvious place for users to feel and it is also a battleground for operators. However, the high investment in the construction and the complex construction in the elevator shaft has always been a difficult problem.

Solution


This solution uses a Sunsea 125mW integrated small cell, which is transmitted between the elevator shafts through a wireless bridge and is accessed by broadband at the back end of the cell, which easily realizes a network cable + a small cell to complete an elevator coverage.

Summary


Effectively avoid complex wiring and construction in the elevator shaft, simple and fast deployment, effectively reduce the cost and quickly achieve accurate deployment of the elevator.



RSRP diagram



| Building X | | | | | | | |
|-------------------------|-----------|--------|-----------------------|--------------------|---------|---------------------|------|
| Band | Band1 | BM | 20M | Downlink frequency | 100 | Broadband bandwidth | 20M |
| enodeb ID | 473229 | cellid | 6 | TAC | 28213 | PCI | 364 |
| RSRP | -66.37dbm | SINR | 30db | RSRQ | -5.25db | Attach success rate | 100% |
| FTP peak downlink speed | 22.6mbps | | FTP peak uplink speed | | 5.1mbps | | |



Background

Due to its special geographical location, underground parking lots have always been an important area covered by indoor signals. This scenario is usually empty, high network coverage cost and long investment recovery period.

Solution

This solution adopts 3 indoor integrated small cell, through simple network wiring, switch aggregation and POE power supply, to meet the wireless signal coverage of nearly 4,000 square meters of underground parking lots.


Summary

It is simple to deploy small cell for regional networking, saving investment on traditional sources, passive components, antennas and feeders. Flexible access and easy construction make the construction cost of wireless network coverage of the underground parking lot effectively reduced.


Solution



RSRP diagram



| Underground parking lot | |
|--------------------------------|-------------|
| Test item | Test result |
| Attach success rate (10 times) | 100.00% |
| Download speed (10 times) | 100.00% |
| Upload speed (10 times) | 100.00% |
| Average ping (10 times) | 100.00% |
| Download speed (10 times) | 100.00% |
| Upload speed (10 times) | 100.00% |
| Average ping (10 times) | 100.00% |
| Download speed (10 times) | 100.00% |
| Upload speed (10 times) | 100.00% |
| Average ping (10 times) | 100.00% |



Application scenario



Street road, street shops, residential area, urban village, etc.

Application features

Outdoor integrated small cell can effectively improve the capacity of outdoor small area blind area and hot area. It can access to existing transmission resources, low cost, easy construction and deployment which effectively solve the difficulties of property, site shortage and emergency support scenarios. It is rapid deployment plan for light pole station, street site small area.

Application products

Sunlight 2000



Background

Old-fashioned residential area with seven floors high on both sides, small space between buildings, sensitive property. The lack of base station sites has led to insufficient coverage of buildings, streets, and shops along the street.

Solution

Base on the street poles, utilize a cement pole + high-gain directional plate antenna through the outdoor small cell.

Summary

Background

The residential district has a high population density and dense buildings, and it is difficult for the macro station to cover in depth. In addition, property negotiation is difficult and site selection is lacking.

Solution

Deploy multiple 1W integrated baseband, radio frequency and antenna small cell between residential buildings, and hang them outside the residential buildings for concealment. Utilize the original transmission resources to quickly organize network.

Summary

Application scenario

Campus, port, smart park and other enterprise private network coverage area.

Application features

The enterprise wireless private network covers a relatively large area, the traffic volume and data traffic are unevenly distributed, and the business is accompanied by tidal effects. Comprehensive coverage can be achieved with indoor, internal and external small base station equipment, which not only effectively solves the problem of wide area coverage but also focuses on high-traffic value areas for deep coverage requirements.

Application products

Sunlight 1000, Sunspeed2000, Sunpower3000



Background

The army barracks area is in a blind area of wide area coverage, with overall -100dBm which cannot meet the daily voice and data traffic requirements in the barracks.

Solution

An integrated high-power outdoor small cell + high-gain

SUNSEA 阳光

上海智能

2011

2011

2011

2011

2011